## Math 121 Test 1 - A

EF:	

## September 19, 2017

1	
2	
3	
4	
5	
6	
7	
8	
Total	

TN T		
Name		

## Directions:

- 1. No books, notes or evacuations. You may use a calculator to do routine arithmetic computations. You may *not* use your calculator to store notes or formulas. You may not share a calculator with anyone.
- 2. You should show your work and explain how you arrived at your answers. A correct answer with no work shown (except on problems which are completely trivial) will receive no credit. If you are not sure whether you have written enough, please ask.
- 3. You may not make more than one attempt at a problem. If you make several attempts, you must indicate which one you want counted, or you will be penalized.
- 4. You may leave as soon as you are finished, but once you leave the exam, you may not make any changes to your exam.
- 5. This test has 8 problems.

1. (10 points) Select (a) - (f)	that matches each inequality.
---------------------------------	-------------------------------

a > 3

a) a is either to the left of -5 or the right of 5.

 $|a-5| < \frac{1}{3}$ 

b) a lies between 1 and 7.

 $|a - \frac{1}{3}| < 5$ 

c) The distance from a to 5 is less than  $\frac{1}{3}$ 

|a| > 5

d) The distance from a to 3 is a most 2.

|a-4| < 3

|a-4| < 3 e) a is less than 5 units from  $\frac{1}{3}$ .

 $\underline{\hspace{1cm}} 1 \leq a \leq 5$ 

f) a lies to the right of 3.

2. (10 Points) If f(x) has domain [4, 8] and range [2, 6], find the domain and range of

(a) 
$$y = f(x) + 3$$

(b) 
$$y = f(x+3)$$

(c) 
$$y = 3f(x)$$

- 3. (15 points)
  - (a) Find the equation of the line perpendicular to 3x + 5y = 9 and passing through (2,3).

(b) Complete the square and find the maximum (or minimum) of

$$y = x^2 + 2x + 5$$

(c) If  $\tan \theta = 4$  and  $\sin \theta < 0$ , find  $\cos \theta$  and  $\sin \theta$ 

- 4. (10 points)
  - (a) Solve for x:  $25^{2x-1} = 125^{3x+4}$

(b) Solve for x:  $\log_2(5+2x) - \log_2(4-x) = 3$ 

5. (15 points) Compute

(a) 
$$\lim_{x \to 4} \frac{x^2 - 5x + 4}{x^2 - 4}$$

(b) 
$$\lim_{x \to 0} \frac{4^{2x} - 1}{4^x - 1}$$

(c) 
$$\lim_{x \to a} \frac{\sqrt{x} - \sqrt{a}}{x - a}$$

6. (15 points) Compute

(a) 
$$\lim_{x \to -3} \frac{\sin(x+3)}{x^2 + 8x + 15}$$

(b) 
$$\lim_{x \to 2^{-}} \frac{x-2}{\sqrt{x^2-4x+4}}$$

(c) 
$$\lim_{x\to 0} (\tan x)(\cos(\sin\frac{1}{x}))$$

- 7. (15 points)
  - (a) Find the value of a and b so that f(x) is continuous if

$$f(x) = \begin{cases} ax - b & \text{for } x \le -1 \\ 2x^2 + 3ax + b & \text{for } -1 < x \le 1 \\ 4 & \text{for } x > 1 \end{cases}$$

(b) Use the I.V.T. to show that

$$2^x = bx$$

has a solution if b > 2.

- 8. (10 points) Given that  $\lim_{x\to 0} f(x) = 1$ , indicate whether the following statements are true or false by circling the appropriate letter. A statement which is sometimes true and sometimes false should be marked false.
  - a) If |f(x) 1| is very small, then x is close to 0. **T F**
  - b) There is an  $\epsilon > 0$  such that if  $0 < |f(x) 1| < \epsilon$ , then  $|x| < 10^{-5}$
  - c) There is a  $\delta > 0$  such that if  $0 < |x| < \delta$  then  $|f(x) 1| < 10^{-5}$
  - d) There is a  $\delta > 0$  such that if  $0 < |x-1| < \delta$  then  $|f(x)| < 10^{-5}$
  - e) If f(0) = 1 then f(x) is continuous at x = 0 T